

| | | | |
|--|--|-------------|----------------------|
| | Model | LVP3040BD_1 | |
| | Code Production | 918780 | |
| | | | |
| | | | |
| | Overall Dimension (Width-Depth-Height) *open | mm | 436 x 535 (870*)x670 |
| | Packaging Dimension (WxDxH) | mm | 520x610x840 |
| | Gross weight | Kg | 34 |
| | Net weight | Kg | 31 |
| | Volume | mc | 0,27 |
| | Rack size | mm | 385x385 |
| | Max door /hood opening | mm | 320 |
| | Max glasses/plate Height | mm | 300 |
| | General construction | | single skin |
| | Door/hood Construction | | double skin |
| | Rack's drives construction | | embossed |
| | Tank construction | | welded |
| | Tank volume | liter | 9 |
| | Tank heating element | W | 600 |
| | Tank surface strainers | | Yes- composite |
| | Wash pump type | | double flow |
| | Wash pump power | W | 200 |
| | Wash temperature | °C | 60 |
| | Boiler type | | pressurized |
| | Boiler volume | liter | 2,6 |
| | Back-flow system | | Valve |
| | Boiler heating element | W | 2.600 |
| | Rinse booster pump | | NO |
| | Rinse booster pump power | W | - |
| | Rinse temperature | °C | 80 |
| | Rinse water consumption | Liter /rack | 1,8 |
| | Optimal external water pressure | bar | 2 - 4 |
| | Drain system | | partial drain |
| | Drain pump | | standard built in |
| | Rinse aid dispenser | peristaltic | YES |
| | Detergent dispenser | peristaltic | optional |
| | Wash cycle | sec | 120 |
| | Electric Power | W | 3.500 |
| | Electric Connection | V - ph - Hz | 230V 1N 50Hz |
| | Fuse | A | 16 |
| | Water softner | | NO |
| | Plates racks | n°- | NO |
| | Flat Rack | n°2 | 780133 |
| | Cutterly Rack | n°1 | 780139 |
| | Support for plates | n°2 | 780140 712020 |
| | Electric cable | n°1 | YES |
| | Drain hose | n°1 | YES |
| | Fill hose | n°1 | YES |

